

Foam-Control® EPS Geofoam Stadium Seating

A lightweight, easy to use material for quick installation.

Foam-Control EPS is a cost-effective, durable, and time saving solution for stadium seating.

Advantages.

- Quicker Installation
- Precut blocks available to match custom project configurations
- Lightweight with high strength
- Excellent adhesion to concrete
- No CFC, HCFC, HFC, or formaldehyde

Benefits.

Cost effective structural design is among the highest priorities in construction. Foam-Control EPS Geofoam is available in a range of strength necessary to provide structural integrity and cost effectiveness. EPS Geofoam is proven to lower installation costs.

Compressive Resistance.


ASTM D6817 Type	Compressive Resistance @ 1% deformation	
EPS12	psi psf (kPa)	2.2 320 (15)
EPS15	psi psf (kPa)	3.6 520 (25)
EPS19	psi psf (kPa)	5.8 840 (40)
EPS22	psi psf (kPa)	7.3 1050 (50)
EPS29	psi psf (kPa)	10.9 1570 (75)
EPS39	psi psf (kPa)	15.0 2160 (103)
EPS46	psi psf (kPa)	18.6 2680 (128)

Sizes and Shapes.

Foam-Control EPS can be made in large or small, thick or thin sections. It can be custom cut in sizes ranging from a few square inches up to 3' x 4' x 16'. Shop drawings for custom projects are easily produced on computer aided cutting equipment.



EPS



CONTROL, NOT COMPROMISE.®

**Foam face-off:
Choosing Foam-Control EPS Geofoam
over light gauge metal framing
and structural steel.**

- EPS Geofoam installs faster
- EPS Geofoam can easily vary density, thickness, and size
- EPS Geofoam is less-expensive than light gauge metal framing and structural steel
- EPS Geofoam is more easily fabricated into different shapes
- EPS Geofoam allows for more design possibilities
- EPS Geofoam provides a solid foundation and eliminates a void which is a detriment to acoustics
- No CFC, HCFC, HFC, or formaldehyde in Foam-Control EPS Geofoam

Proven to meet, or exceed, building codes.

Foam-Control EPS Geofoam is manufactured to Quality Control Program standards monitored by Underwriters Laboratories Inc. and recognized by national building codes. Foam-Control EPS meets ASTM D6817, "Standard Specification for Rigid, Cellular Polystyrene Geofoam".



Foam-Control EPS Geofoam can stand up to all industry tests— and has. No other EPS can say that.

Foam-Control EPS means control, not compromise.

Foam-Control EPS Geofoam is engineered to give you the greatest possible control for your concrete application: from design and timelines, to materials and costs, and —ultimately—control over your results.

Ready to take control? Start here.

If you're starting to wonder how Foam-Control EPS Geofoam can contribute to your next project, here's how to find out: Just contact your nearest Foam-Control EPS Geofoam supplier. They'll be happy to give you a design consultation, information about Foam-Control EPS Geofoam products, pricing, and the answers to all your questions. Contact a sales rep and download Foam-Control EPS Geofoam documentation at www.geofoam.com.



**116 Pine Street South
Lester Prairie, MN 55354
phone: 952-445-4089 | 320-395-2551
fax: 320-395-2702
www.polyfoaminc.com**



Foam-Control EPS products are manufactured by AFM Corporation licensees.

Copyright ©2010 AFM Corporation. All rights reserved. Printed in USA. Control, Not Compromise and Foam-Control EPS is a trademark of AFM Corporation, Lakeville, MN.

ICC ES logo is a registered trademark of ICC Evaluation Service, Inc.

UL logo is a registered trademark of Underwriters Laboratories Inc.

GF06-01-10



EPS

**CONTROL,
NOT COMPROMISE.®**